



Lionbridge Connector for Episerver

User Guide

Version 1.6.3

Wednesday, May 5, 2021

Copyright

© Copyright 2021 Lionbridge Technologies, Inc. All rights reserved.

Lionbridge and the Lionbridge logotype are registered trademarks or trademarks of Lionbridge Technologies, Inc. in the United States and other countries. All other trademarks used herein are the property of their respective owners. The opinions of third-party contributors remain theirs alone and do not necessarily represent the views of Lionbridge Technologies.

Contents

1 Welcome to the Lionbridge Connector for Episerver	5
1.1 The Translation Lifecycle	5
1.2 How the Connector Helps You Manage Your Translation Lifecycle	5
1.3 Using this Guide	6
1.4 How to Contact Lionbridge Connector Support	8
1.4.1 Submitting a Support Ticket	8
1.4.2 Information to Include in a Support Ticket	9
1.4.3 Viewing and Updating Your Support Ticket in Zendesk	9
1.4.4 Signing Up for a Zendesk Account for Lionbridge Connectors	10
1.4.5 Getting a Zendesk Password if You Previously Emailed Lionbridge Connectors	12
2 Getting Started with the Connector for Episerver	15
2.1 The Connector at a Glance	17
3 Sending Assets for Translation	20
3.1 Creating or Editing a Translation Project	21
3.2 Sending a Project for Translation	29
3.2.1 Sending a Project for Translation from the Gadget	29
3.2.2 Sending a Project for Translation from the Dashboard	30
3.3 Canceling a Translation Project	31
3.3.1 Canceling a Translation Project in the Gadget	31
3.3.2 Canceling a Translation Project in the Dashboard	33
4 Monitoring Translation Status	34
4.1 Translation Statuses	34
4.2 Viewing Your Translation Status Summary	35
4.3 Monitoring Translation Projects	37
4.4 Monitoring Translation Assets	42

5 Added Assets Log View	44
6 Post-Translation Features	45
6.1 Importing Translated Content	45
6.1.1 Importing All Available Translated Content from the Gadget	46
6.1.2 Importing All Available Translated Content from the Dashboard	47
6.1.3 Importing Translated Content in One Target Language from the Dashboard	48
6.2 Reviewing Translated Assets	49
6.2.1 Viewing Translated Assets	51
6.3 Publishing Translated Assets	53
6.3.1 Publishing All Available Translated Assets from the Gadget	53
6.3.2 Publishing All Available Translated Assets from the Dashboard	54
6.3.3 Publishing Translated Assets in One Target Language from the Dashboard	55
6.4 Archiving and Unarchiving Projects	56
6.5 Removing Translation Projects from the Connector	58
6.5.1 Removing Translation Projects from the Connector via the Gadget	58
6.5.2 Removing Translation Projects from the Connector via the Dashboard	60
Index	61

1 Welcome to the Lionbridge Connector for Episerver

Welcome to the Lionbridge Connector for Episerver (Connector). The Connector enables you to automate sending and retrieving assets from Episerver, which dramatically reduces the effort required to create, maintain, and publish Web content in multiple languages.

1.1 The Translation Lifecycle

The *translation lifecycle* is the broad process of selecting content, sending it out for translation, and then receiving the translated content back from translation.

This set of steps usually fits inside a larger, more general process called the *content lifecycle*, which is the process of creating, reviewing, editing, approving, and publishing content.

When you consider the translation lifecycle and the content lifecycle together, you have the *global content value chain*, which is the strategy for managing multilingual content.

Remember that localizing content is a subset of steps in the broader content lifecycle. This will improve your focus on key localization considerations, improve processes, and keep all content stakeholders included. Together, this results in better content management.

1.2 How the Connector Helps You Manage Your Translation Lifecycle

The Lionbridge Connector for Episerver (Connector) is a plug-in module for Episerver. It provides a range of features and user interface enhancements in Episerver that enable you to select, send, monitor, and retrieve assets for translation into any language Episerver supports.

These features automate the process, which dramatically reduces the effort and time required to export and re-import assets that need to be localized. This is very helpful when translating many assets or ensuring that translated assets are quickly re-imported to meet deadlines.

When you use the Connector, you manage your translation lifecycle entirely from within Episerver:

1. The Connector exports your assets from Episerver in XML format and delivers these content files to the central, hosted CLay tablet Platform.
2. The CLay tablet Platform delivers your content files to your translation providers, based on routing rules that your company chooses and the Lionbridge Connector Team implements.
3. When the translated content is ready, the CLay tablet Platform retrieves it from your translators and delivers it to the Connector.
4. The Connector automatically imports the translated assets into the correct location in Episerver.

You can then review, revise, reject, or publish the translated assets as needed.

Note: Neither the Connector nor the CLay tablet Platform performs any translation. Similarly, the Lionbridge Connector Team does not provide any translation services. Your company chooses the translation provider that performs the translation.

1.3 Using this Guide

Purpose of this guide

This guide describes how to use the Lionbridge Connector (Connector) for Episerver to manage your translation lifecycle. It describes how to send out assets from Episerver for translation and receive them back from translation.

Who should use this guide

This guide is intended for content editors, project, marketing, localization or translation managers, or others who are responsible for creating, editing, or approving assets for translation that reside in your Episerver instance. This guide is also useful for translation providers who receive assets from your Episerver instance, because it describes your company's translation management process.

What your company setup should be

This document assumes that:

- Your company already has a functioning instance of Episerver.
- The Connector has been installed, configured, and tested on your Episerver instance.
- The Lionbridge Connectors team has set up the CLay tablet Platform to send assets to your translation providers.
- Lionbridge is your company's translation provider, and Freeway is already set up for your company.

What you should already know

This document assumes that:

- You are familiar with the Connector's configuration for your Episerver instance, and the reasons for choosing certain configuration options. This is important because your company's configuration determines which features are available.
- You have a strong working knowledge of Episerver.
- You are familiar with your company's translation process and requirements.

- You have valid user credentials to log into Episerver.
- You have the required permissions to access the Connector functionality described in this guide.

Note: Not all the features described in this guide may be available. Feature availability depends on both your company's Connector setup and the roles to which you are assigned. If you cannot access functionality that you need, contact your company's Episerver administrator.

How this guide is organized

This guide contains the following chapters:

Chapter	Description
"Welcome to the Lionbridge Connector for Episerver" on page 5	A brief description of the Lionbridge for Episerver solution and how it fits into the translation lifecycle. It also includes information about this guide and the Lionbridge Connector Team Support contact information.
"Getting Started with the Connector for Episerver" on page 15	How to get started and an overview of the Connector interface and key features.
"Sending Assets for Translation" on page 20	How to create or edit a translation project, add assets to it, and send it out for translation. How to cancel a translation project in progress.
"Monitoring Translation Status" on page 34	How to monitor the status of translation projects and individual assets.
"Post-Translation Features" on page 45	How to perform post-translation tasks, including: <ul style="list-style-type: none">■ importing translated assets into Episerver■ review translated assets■ publishing translated assets■ archiving and unarchiving translation projects■ removing translation projects from the Connector

How to find out more about the Lionbridge Connector for Episerver

For information on installing and configuring the Lionbridge Connector for Episerver, read the *Lionbridge Connector for Episerver Installation and Configuration Guide*.

Documentation conventions

This guide uses the following conventions:

Convention	Description
Bold	Highlights screen elements such as buttons, menu items, and fields.
Courier	Highlights input, file names, and paths.
<i>Italics</i>	Highlights terms for emphasis, variables, or document titles.
>	Indicates a menu choice. For example, "Select Edit > Select All ."

1.4 How to Contact Lionbridge Connector Support

Email @: connectors@lionbridge.com

You can submit a support ticket either:

- by email
- from the Lionbridge Connector Zendesk page, using your web browser:
<https://connectors.zendesk.com/>

1.4.1 Submitting a Support Ticket

1. Do one of the following:

- Email connectors@lionbridge.com, and cc (carbon copy) anyone to include in the ticket correspondence.
Important: Include the information and attachments in your email that are listed in the sub-sections below.
- Create a ticket in Zendesk:
 - a. Open the Lionbridge Connector Zendesk page in your browser: <https://connectors.zendesk.com>.
 - b. Sign in to Zendesk.
Note: If you do not have sign-in credentials yet, then click either **Sign up** or **Get a password**, and follow the onscreen instructions.
Important: Include the information and attachments that are listed in the sub-sections below.
 - c. Click **Submit a request**.
 - d. In the **CCs** field, add anyone to include in the ticket correspondence.

Zendesk automatically creates a ticket and responds to everyone included in the cc field.

2. Everyone in the original cc receives updates unless they request to be removed from the ticket.

Important: Check your email spam folder (especially first-time Zendesk users) as sometimes email notifications from Zendesk are marked as spam.

When the issue is resolved, Lionbridge closes the ticket.

1.4.2 Information to Include in a Support Ticket

- client name
- CMS or content system name and version
- Connector or App version installed
- name of job for which the issue occurs
- date of job submission
- detailed description of the issue
- any error text—copy and paste, if applicable

Files to attach to the support ticket:

- CMS log files for the date the issue occurred
- Connector or App log files for the date the issue occurred
- screen capture of the issue

1.4.3 Viewing and Updating Your Support Ticket in Zendesk

Important: You must log into Zendesk to view your support tickets there.

1. Open the Lionbridge Connector Zendesk page in your browser: <https://connectors.zendesk.com>.

2. Enter your credentials, and click **Sign in**.

Sign in to Lionbridge Connectors

Email

Password

Stay signed in

Sign in

Your credentials will be sent over a secure connection

Cancel

Forgot my password

New to Lionbridge Connectors? [Sign up](#)

Have you emailed us? [Get a password](#)

If you've communicated with our support staff through email previously, you're already registered. You probably don't have a password yet, though.

Note: If you do not have sign-in credentials yet, then click either **Sign up** or **Get a password**, and follow the onscreen instructions.

3. After signing in, click **My activities** to view the tickets you opened or where you are cc'd.

4. To update tickets, you can reply or attach files.

For more information, refer to "Submitting and tracking support requests" in Zendesk's *Help Center guide for end-users*, at: <https://support.zendesk.com/hc/en-us/articles/203664386-Help-Center-guide-for-agents-and-end-users>.

Important: Zendesk refers to a *support ticket* as a *support request*. These terms are interchangeable.


1.4.4 Signing Up for a Zendesk Account for Lionbridge Connectors

You can create a new Zendesk account for Lionbridge Connectors.

Note: If you have previously emailed Lionbridge Connectors Support at connectors@lionbridge.com to create a support ticket, you can get a password for your email account. For detailed instructions, see "How to Get a Password if You Have Previously Emailed Lionbridge Connectors."

To sign up for a Zendesk account:

1. Open the Lionbridge Connector Zendesk page in your browser: <https://connectors.zendesk.com>.
2. Click **Sign up** link.



The **Sign up** page opens.

The screenshot shows a sign-up form titled "Sign up to Lionbridge Connectors". The form includes instructions: "Please fill out this form, and we'll send you a welcome email shortly. You will only need to complete this verification step once. Thanks for visiting Clay Tablet!" Below the instructions are two input fields: "Your full name *" and "Your email *". Underneath these fields is a reCAPTCHA section with a checkbox labeled "I'm not a robot" and the reCAPTCHA logo. At the bottom of the form are two buttons: a large blue "Sign up" button and a smaller "Cancel" button.

3. Enter your name and email address, and select the **I'm not a robot** check box.
4. Click **Sign up**.

The **Sign-up complete** page opens. You will receive a verification email shortly with a verification link that enables you to sign in. If you do not receive an email within a few minutes, please check your junk or spam folder.


5. Click the link in the verification email to create a password and sign into Zendesk.

1.4.5 Getting a Zendesk Password if You Previously Emailed Lionbridge Connectors

If you have previously emailed Lionbridge Connectors Support at connectors@lionbridge.com to create a support ticket, you can get a password for your email account.

To get a password:

1. Open the Lionbridge Connector Zendesk page in your browser: <https://connectors.zendesk.com>.
2. Click the **Get a password** link.



The **Please set me up with a new password** page opens.

The screenshot shows a modal dialog box with a light gray background. At the top, it says "Please set me up with a new password". Below that, there is explanatory text: "To reset your password for <https://connectors.zendesk.com>, enter your email address and we'll send you an email with instructions." A text input field labeled "Email" is present, followed by a blue "Submit" button. In the bottom right corner of the dialog, there is a "Cancel" link.

3. Enter the email address from which you emailed Lionbridge Connectors Support (connectors@lionbridge.com).

4. Click **Submit**.

Zendesk sends you an email with instructions for creating your password.

5. Follow the instructions in the email from Zendesk to create your password.

You can now sign in to Zendesk to create, view and update your support tickets.

2 Getting Started with the Connector for Episerver


The Connector supports all web browsers that Episerver supports. The Connector supports Episerver versions 10 and 11.

To access the Connector:

1. Log into Episerver.
2. In the top-left corner, click **CMS**.



3. In the menu that opens, click **Edit**.




4. In the top-right corner, click the **Toggle assets pane** folder icon.




The **Assets** pane opens.

5. If the **Lionbridge Connector** gadget is collapsed, click it to expand it.




The **Lionbridge Connector** gadget opens. It contains basic Connector functionality, including creating a translation project. For a detailed description of the gadget, see "[The Connector at a Glance](#)" on page [17](#).




6. Optional. Do one of the following to open the **Lionbridge Connector Dashboard** ("Dashboard"), which has enhanced Connector functionality:

- Click the **Dashboard** button near the top of the gadget.
- In the bottom-right corner of the gadget, click the Settings icon , and then select **Dashboard** from the context menu.



The **Lionbridge Connector Dashboard** opens in the **system workspace**. For a detailed description of the Dashboard, see "[Monitoring Translation Projects](#)" on page [37](#).



Tip: Click the Pin icon  to keep the Lionbridge Connector open by default in future sessions.

2.1 The Connector at a Glance

The Lionbridge Connector for Episerver has two main interfaces:


- **Lionbridge Connector gadget:**

- opens in the **Assets** pane
- provides a translation-status summary
- includes basic Connector functionality

- **Lionbridge Connector Dashboard:**

- opens in the **System workspace**
- provides detailed translation-status information
- includes enhanced Connector functionality

Lionbridge Connector Gadget



The gadget displays the following information about each translation project:

- name
- status
- percentage complete

The gadget also includes the following Connector functionality, which is available from the context menu for each displayed translation project:

- creating a project
- editing a project

- sending out a project for translation
- importing translated content into Episerver
- publishing translated assets
- canceling a project
- removing a project from the Connector

For detailed information about the gadget, see "[Viewing Your Translation Status Summary](#)" on page 35.

Lionbridge Connector Dashboard

Project Name	Status	Actions	Freeway ID	Languages	Total Assets	Creator	Created	Due Date	Delivery Available
Project_94	Draft	Edit Project		0	0	hahoang1	19/07/2019	31/07/2019	No
Provider_Log_Times_test	Ready for Import	View Project	BV-000144392	1	4	admin	19/07/2019	25/07/2019	Yes
Testing_new_1907	Ready for Import	View Project	BV-000144384	2	20	admin	19/07/2019	31/07/2019	Yes
Testing_web_edictor	Draft	Edit Project		0	0	admin	19/07/2019	31/07/2019	No
RW_UAT_Whole site All languages	Ready for Import	View Project	BV-000144363	8	424	admin	19/07/2019	31/07/2019	Yes

The Dashboard includes the following Connector functionality:

- displaying detailed translation-status information about projects
- filtering the projects displayed in the Dashboard
- sending out a project for translation
- viewing archived projects
- viewing unarchived projects
- viewing a project
- editing a project
- canceling a project
- importing all available translated content in the project into Episerver
- importing translated content in the project into Episerver for individual target languages
- viewing translated assets
- publishing all available imported translated assets in the project

- publishing imported translated assets in the project for individual target languages
- archiving a project
- unarchiving a project
- removing a project from the Connector

Note: You can create a new project only in the **Lionbridge Connector** gadget.

For detailed information about the Dashboard, see "[Monitoring Translation Projects](#)" on page [37](#).

3 Sending Assets for Translation

When you send out assets for translation, they are part of a translation project.

You can add assets for translation to a new or an existing project.

Note: You can add assets to an existing project only if it is in `Draft` status. You cannot add assets to a project after it has been submitted for translation.

You can send out the following types of assets for translation:

Asset Type	Description	Additional Notes
Episerver Blocks	Blocks that are referenced on a page in a Content Area or ContentReference fields.	If the same block has multiple references, the Connector sends it out for translation once, in the context of the first page where it is referenced.
Episerver page properties	The following page properties are supported: <ul style="list-style-type: none"> ■ String ■ XHtmlString ■ ContentArea ■ ContentReference 	Unsupported page properties will be blank, so you cannot publish the corresponding pages, as described in " Publishing Translated Assets " on page 53 . Tip: Review these pages manually and populate the blank page properties so that you can publish the pages.
custom properties	Custom properties created by the customer.	The Connector supports sending for translation only custom properties that inherit from the <code>PropertyLongString</code> and <code>PropertyString</code> classes.

How the Connector packages the assets for translation

Either:

- The Connector sends each page and block for translation as a separate file.
- The Connector bundles all pages and blocks in the translation project for translation into a single XML file, creating one file for each target language.

You configure this setting using the **Use grouped asset handling** check box. For detailed instructions, refer to the *Lionbridge Connector for Episerver Installation and Configuration Guide*.

Recommendation: If Lionbridge Freeway will translate terms for SEO, select this check box.

When sending assets for translation, there are two basic steps:

1. Creating a translation project, including adding the assets to translate. You do this from the **Lionbridge Connector** gadget. For detailed instructions, see "[Creating or Editing a Translation Project](#)" on page [21](#).
2. Sending out the project for translation. You can do this either from the **Lionbridge Connector** gadget or from the **Lionbridge Connector Dashboard**. For detailed instructions, see "[Sending a Project for Translation](#)" on page [29](#).

3.1 Creating or Editing a Translation Project


A translation project has two basic components:

- the project settings
- the collection of the assets to translate

You create or edit translation project from the **Lionbridge Connector** gadget.


To create a translation project:

1. In Episerver CMS, click Edit.




2. Click the **Toggle assets pane** icon.

The **Assets** pane is displayed on the right. The **Lionbridge Connector** gadget is displayed at the bottom of the pane, displaying all the translation projects.




3. Do one of the following:

- To create a new project, click the plus icon at the bottom-left corner of the gadget.
- To edit an existing translation project, click a project in the list to select it.



Note: You can edit an existing project only if it is in Draft status. You cannot edit a project after it has been submitted for translation.

The **System workspace**, on the left, updates for the new or existing project.



4. In the **Name** field, you can enter or update the name of your translation project. This will also be the Freeway title of your project.
5. In the **Content** tab, specify the following settings for your translation project:

The screenshot shows a software interface for creating or editing a translation project. At the top, there are two tabs: "Content" (which is selected) and "Settings".

Pages to translate: A section labeled "Select Content" with a dropdown menu.

Project Configuration: A dropdown menu.

Invoice Information: An empty text input field.

Instructions: An empty text input field.

Analysis Codes: A list of items with radio buttons:

- Source1
○ Test1
- Test2
- Test3
- Ha
○ User2
- User1
- Bap
- 1
- 2

Source Language: A dropdown menu set to "français".

Translate to: A list of languages with checkboxes:

- English
- français
- español
- svenska
- suomi
- Nederlands

Due date: An empty text input field with a dropdown arrow.

SEO Translation: A checkbox that is not checked.

Status: A text input field containing an "X" character.

Setting	Description
Project Configuration	Optional. In the dropdown list, select a workflow configuration for this project. There may be multiple workflow configurations for your translation provider that are configured by the Lionbridge Connector Team. For example, there may be one workflow for human translation and another configuration for machine translation.
Invoice information	Optional. You can enter the project's invoice number in this field.
Instructions	Optional. You can enter instructions for the translators in this field.
Analysis Codes	<p>Optional. May not be displayed. The Freeway analysis codes for the translation.</p> <p>You specify the analysis codes that are relevant to your assets. Your Lionbridge setup determines which analysis codes are available for you to specify, and the values available for selection for each analysis code. For example, the Region, Department, and Priority analysis codes may be available for you to specify.</p>
Source Language	Select the source language of the assets in the project.
Translate to	Select the check boxes for the target languages for the assets in the project. These are the languages into which the assets will be translated.
Due date	<p>The requested delivery date. Either:</p> <ul style="list-style-type: none"> <li data-bbox="577 1269 1473 1343">■ Enter the date and time in the following format: M/D/YYYY H:MM, for example, 3/9/2016, 8:00 PM. <li data-bbox="577 1353 1473 1427">■ Click the arrow and select the date and time in the calendar that opens.

Setting	Description
SEO Translation	<p>If you want to mark the pages for SEO workflow processing, so that Lionbridge Freeway will translate terms for SEO, select the check box. When this check box is selected, the Connector includes the URLSegment property (name in URL) in pages it sends for translations.</p> <p>Note: Episerver runs some validations on this property when it is edited in the Episerver GUI. These validations ensure that there are no characters that are invalid for URL names, and that the name is unique among sibling pages. For example, if you have a folder with the /cars/ URL, it cannot contain two pages with the same URL name, such as brandX, because the /cars/brandX address must point to a unique page.</p>

6. In the Settings tab, specify the following settings for your translation project:


- **Publish option**—It can be Published in two options:
 - a. **Publish if source is Published**: If this is selected then the target assets can only be published if the source assets are published.
 - b. **Publish if source is not Published**: If this is selected then the target assets will publish even if the source assets are not yet published.



Note: To navigate, In the translation project click **Settings** and select **Publish if source is Published** or **Publish if source is not Published** from the dropdown of **Publish option**. By default, it is **Publish if source is Published**.

- **Import option**—In configure **Import Settings** to allow target (translated) version specific content to be preserved when it does not exist in source version:


- a. **Keep all from source translation:** If this is selected, when importing translation project, all data from the translated version will overwrite the current version.
- b. **Merge source translation and target:** If this is selected, when importing translation project, system will:
 - + Overwrite the blocks that has same ID from the translated version to current version.
 - + Keep all blocks that available on current version but not in translated version.
 - + Keep all blocks that available on translated version but not in current version.



Note: To navigate, In translation project click **Settings** and select **Keep all from source translation** or **Merge source translation and target** from the dropdown of **Import option**. By default, it is **Keep all from source translation**.

7. To select the assets to translate, near the top-left corner of the workspace, under **Pages to translate**, and click **Select Content**.

The **Assets in Project** dialog box opens.



The **Available pages** pane on the left side displays a tree structure.

- a. At the top of this pane, click the **Pages** or the **Blocks** tab to display the corresponding asset in the tree.
- b. Expand the tree structure and select the check boxes of the assets to add to the translation project.
- c. Optional. Mouseover the page to display the **+All** and **-All** buttons. Click these buttons to add or remove all child pages or blocks from the translation project.
- d. To remove a page or block from your selection, click the corresponding **Remove** button. This button is displayed after a page or block is selected.
- e. Optional. In the **Pages** tab, to automatically include all blocks associated with the selected pages in your translation project, select the **Include blocks** check box.

- f. Optional. To view which pages have not yet been translated, select the desired target language in the **Filter on missing translation** dropdown list. The tree updates to display any pages that have not yet been translated into that language in *Italic* font. Pages that have already been translated into that target language are displayed in regular font.

The screenshot shows the 'Pages' tab selected in the Lionbridge Connector interface. A dropdown menu displays 'français'. A search bar is present below the dropdown. Under 'Available pages', there is a checked checkbox for 'Include blocks'. The page tree includes 'Start', 'Alloy Plan', 'Alloy Track', 'Alloy Meet', 'About us', 'How to buy', 'Search', and 'Customer Zone'. 'Alloy Track', 'About us', and 'Customer Zone' are expanded, revealing their sub-items.

- g. Click **Save** to save your changes.

The **System workspace** reopens. The Connector automatically saves the translation project in **Draft** status. To undo the auto-save, click the **Undo** link in the top-center of the workspace.

Now you are ready to send your translation project to Lionbridge Freeway for translation. For detailed instructions, see "[Sending a Project for Translation](#)" on page 29.

3.2 Sending a Project for Translation

When a translation project has `Draft` status, you can send it to Lionbridge Freeway for translation. You can do this either from the **Lionbridge Connector** gadget or from the **Lionbridge Connector Dashboard** ("Dashboard").

There are two ways to send a project for translation:


- ["Sending a Project for Translation from the Gadget" on page 29](#)
- ["Sending a Project for Translation from the Dashboard" on page 30](#)

3.2.1 Sending a Project for Translation from the Gadget

When a translation project has `Draft` status, you can send it to Lionbridge Freeway for translation.

To send out a project for translation from the Lionbridge Connector gadget:

1. In Episerver CMS, click **Edit**.




2. Click the **Toggle assets pane** icon.



The **Assets** pane is displayed on the right. The **Lionbridge Connector** gadget is displayed at the bottom of the pane, displaying all the translation projects.

3. Click a project in the list to select it.

4. Mouseover the right end of the project in the **Lionbridge Connector** gadget, click the Options icon  and then select **Send to Translation** in the project's context menu.



A message box opens, confirming that you want to send the project for translation.

5. Click **Yes** to proceed.

Another message box opens, stating that the project was sent for translation.

6. Click **OK** to close the message box.

The Connector sends your translation project as a scheduled job. It displays a clock icon  next to it, which indicates that it now has **In Translation** status.

- When your project displays a status of 10%, it has been delivered to Lionbridge Freeway.
- When your project displays a status of 100%, it is ready to be imported into Episerver, where you can review it.

3.2.2 Sending a Project for Translation from the Dashboard

When a translation project has **Draft** status, you can send it to Lionbridge Freeway for translation.

To send out a project for translation from the Dashboard:

1. In the Dashboard, locate a translation project with **Draft** status. This is displayed in the **Status** column. For information on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page [15](#).

2. In the **Actions** column, click the arrow and select **Send to Translation** from the context menu.



A message box opens, confirming that you want to send the project for translation.

3. Click **Yes** to proceed.

Another message box opens, stating that the project was sent for translation.

4. Click **OK** to close the message box.

The Connector sends your translation project as a scheduled job, and when it is delivered to Lionbridge Freeway, it has **In Translation** status.

3.3 Canceling a Translation Project

If a translation project is in either **In Translation** or **Ready for Import** status, you can cancel it. This prevents the Connector from checking whether the translation is complete and removes it from the Connector. This functionality is not reversible. For a list and description of translation-project statuses, see "[Monitoring Translation Status](#)" on page 34.

Important: This step does not cancel the translation process in Lionbridge Freeway. If your translation project has **In Translation** status, you must also contact your Lionbridge project manager immediately to cancel the project in Lionbridge Freeway.

There are two ways to cancel a translation project in the Connector:

- "[Canceling a Translation Project in the Gadget](#)" on page 31
- "[Canceling a Translation Project in the Dashboard](#)" on page 33


3.3.1 Canceling a Translation Project in the Gadget

If a translation project is in either **In Translation** or **Ready for Import** status, you can cancel it to prevent the Connector from checking whether the translation is complete and to remove it from the Connector. This functionality is not reversible.

Important: This step does not cancel the translation process in Lionbridge Freeway. If your translation project has **In Translation** status, you must also contact your Lionbridge project manager immediately to cancel the project in Lionbridge Freeway.

To cancel a translation project from the Lionbridge Connector gadget:

1. In Episerver CMS, click **Edit**.




2. Click the **Toggle assets pane** icon.



The **Assets** pane is displayed on the right. The **Lionbridge Connector** gadget is displayed at the bottom of the pane, displaying all the translation projects.

3. Click a project in the list to select it.

4. Mouseover the right end of the project in the Lionbridge Connector gadget, click the Options icon  , and then select **Cancel Project** in the project's context menu. This menu item is available only when the project is in either **In Translation** or **Ready for Import** status.



A message box opens, confirming that you want to cancel the project.

5. Click **Yes** to confirm.

Another message box opens, stating that the project was canceled and removed from the Connector. It instructs you to contact your Lionbridge project manager immediately to stop the translation process in Lionbridge Freeway.

6. Click **OK** to close the message box.


3.3.2 Canceling a Translation Project in the Dashboard

If a translation project is in either `In Translation` or `Ready for Import` status, you can cancel it to prevent the Connector from checking whether the translation is complete and to remove it from the Connector. This functionality is not reversible.

Important: This step does not cancel the translation process in Lionbridge Freeway. If your translation project has `In Translation` status, you must also contact your Lionbridge project manager immediately to cancel the project in Lionbridge Freeway.

To cancel a translation project from the Dashboard:

1. In the Dashboard, locate a translation project with either `In Translation` or `Ready for Import` status. This is displayed in the **Status** column. For information on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page [15](#).
2. In the **Actions** column, click the arrow and select **Cancel Project** from the context menu.



A message box opens, confirming that you want to cancel the project.

3. Click **Yes** to confirm.

Another message box opens, stating that the project was canceled and removed from the Connector. It instructs you to contact your Lionbridge project manager immediately to stop the translation process in Lionbridge Freeway.

4. Click **OK** to close the message box.

4 Monitoring Translation Status

You can monitor the status of your translation projects from within the Connector.

- In the **Lionbridge Connector** gadget, you can view the status summary. For details, see "[Viewing Your Translation Status Summary](#)" on page [35](#).
- In the **Lionbridge Connector Dashboard**, you can view the detailed translation status of your project by target language and individual assets. For details, see "[Monitoring Translation Projects](#)" on page [37](#).

For a list and description of translation statuses, see "[Translation Statuses](#)" on page [34](#).

4.1 Translation Statuses

The statuses of translation projects are displayed, as follows:

- The **Lionbridge Connector Dashboard** ("Dashboard") displays project statuses in the **Status** column.
- The **Lionbridge Connector** gadget displays project statuses as icons and percentages:


Translation Project Status (in Dashboard)	Icon (in Gadget)	Percentage (in Gadget)	Description
Draft		N/A	The Connector created the translation project, but it did not send it for translation yet.
In Translation		5	The Connector sent the translation project to the CLay tablet Platform.
		10	The CLay tablet Platform sent the translation project to Lionbridge Freeway.
Ready for Import		variable, up to 100	The Connector has delivered the completed translation project, and it is ready to be imported into Episerver.
Imported		variable, up to 100	The completed translation project has been imported into Episerver, but it has not yet been published.
Published		variable, up to 100	The translation project has been published.

Note about percentage values: In addition to the percentage values described in the table above, different percentage values may be displayed in the **Lionbridge Connector** gadget. For an explanation of those values, see "[Viewing Your Translation Status Summary](#)" on page 35.

Note about statuses displayed in italics in the Dashboard: A status displayed in italics in the Dashboard indicates that the translated content of some, but not all target languages is in this status. For a detailed description and illustration, see "[Monitoring Translation Projects](#)" on page 37.

4.2 Viewing Your Translation Status Summary

You can view the status and percentage complete of translation projects in the **Lionbridge Connector** gadget. The gadget is displayed in the **Assets** pane. For detailed instructions on opening the gadget, see "[Getting Started with the Connector for Episerver](#)" on page 15.



Tip: If the gadget was previously opened, click the **Toggle assets pane** icon  in the top-right corner of the system workspace to reopen it.

The following information is displayed about each translation project:

- project name
- project-status icon
- percentage complete

Project-Status Icon	Percentage	Description
	0	Draft status. The Connector created the translation project, but it did not send it for translation yet.

Project-Status Icon	Percentage	Description
	5	In Translation status. The Connector sent the translation project to the CLay tablet Platform.
	10	In Translation status. The CLay tablet Platform sent the translation project to Lionbridge Freeway.
	variable, up to 100	Ready for Import status. The Connector has delivered the completed translation project, and it is ready to be imported into Episerver. See note below.
	variable, up to 100	Imported status. The completed translation project has been imported, but it has not yet been published. See note below.
	variable, up to 100	Published status. The translation project has been published. See note below.

Note about other displayed percentage values: If a translation project is being translated into multiple target languages, and the Connector has delivered the translated content in some but not all of those languages, then that is reflected in the percentage complete displayed in the gadget. For example, suppose the translation project is being translated into four target languages, and the percentage complete is 25 percent. This indicates that the translated content has been delivered for one target language.

Actions


You can perform the following actions in the gadget:

- ▶ To open the **Lionbridge Connector Dashboard**, click the **Dashboard** button near the top-left corner of the gadget. For detailed description of the Dashboard, see "[Monitoring Translation Projects](#)" on page [37](#).
- ▶ To create a translation project, click the plus icon in the bottom-left corner. For detailed instructions, see "[Creating or Editing a Translation Project](#)" on page [21](#).
- ▶ To send out a project for translation, click the Options icon , and then select **Translate** in the project's context menu. For detailed instructions, see "[Sending a Project for Translation from the Gadget](#)" on page [29](#). Available only when the project is in **Draft** status.

- ▶ To import translated content into Episerver, click the Options icon  , and then select **Import translations** in the project's context menu. For detailed instructions, see "[Importing All Available Translated Content from the Gadget](#)" on page 46. Available only when the project is in Ready for Import status.
- ▶ To publish translated assets, click the Options icon  , and then select **Publish translations** in the project's context menu. For detailed instructions, see "[Publishing All Available Translated Assets from the Gadget](#)" on page 53. Available only when the project is in Imported status.
- ▶ To cancel a translation project, click the Options icon  , and then select **Cancel Project** in the project's context menu. For detailed instructions, see "[Canceling a Translation Project in the Gadget](#)" on page 31. Available only when the project is in either In Translation or Ready for Import status.
- ▶ To remove a translation project from the Connector, click the Options icon  , and then select **Remove Project** in the project's context menu. For detailed instructions, see "[Removing Translation Projects from the Connector via the Gadget](#)" on page 58. Available only when the project is in either Draft, Imported, or Published status.

4.3 Monitoring Translation Projects

The Lionbridge Connector Dashboard ("Dashboard") opens in the **system workspace**.




The screenshot shows the Lionbridge Connector Dashboard interface. At the top, there are buttons for Refresh, View Archived Projects, and a search bar. On the right, there are notifications and an Options button. Below the header is a toolbar with buttons for Refresh, View Archived Projects, and a search bar. The main area is a table listing five translation projects:

Project Name	Status	Actions	Freeway ID	Languages	Total Assets	Creator	Created	Due Date	Delivery Available
Project_94	Draft	Edit Project	0	0	hahoang1	19/07/2019	31/07/2019	No	
Provider Log times test	Ready for Import	View Project	BV-000144392	1	admin	19/07/2019	25/07/2019	Yes	
Testing_new_1907	Ready for Import	View Project	BV-000144384	2	20	admin	19/07/2019	31/07/2019	Yes
Testing_web_edictors	Draft	Edit Project	0	0	admin	19/07/2019	31/07/2019	No	
RW_UAT_Whole site All languages	Ready for Import	View Project	BV-000144363	8	424	admin	19/07/2019	31/07/2019	Yes

The Dashboard provides detailed translation-status information and it contains enhanced Connector functionality.

- ▶ To open the Dashboard, click the **Dashboard** button in the **Lionbridge Connector** gadget. For detailed instructions, see "[Getting Started with the Connector for Episerver](#)" on page 15.

The Dashboard displays the following information about each translation project:

Column	Description																																					
Project Name	<p>The name of the translation project.</p> <ul style="list-style-type: none"> ▶ Click the link or click the plus icon () to display the list of assets in the project, organized by source-target language pair. For more information, see "Monitoring Translation Assets" on page 42. 																																					
Status	<p>The status of the translation project. For a list and description of statuses, see "Translation Statuses" on page 34.</p> <p>Note about status displayed in italics: A status that is displayed in italics indicates that the translated content of some, but not all target languages is in this status. The least-complete status is displayed. For example, suppose the <code>In Translation</code> status is displayed for a translation project. This indicates that the content for at least one target-language is in this state, and that other target-language content is in a more advanced state. As the screen capture below indicates, the other target-language content is in <code>Imported</code> status.</p>  <table border="1"> <thead> <tr> <th>Project Name</th> <th>Status</th> <th>Actions</th> <th>Freeway ID</th> <th>Languages</th> <th>Total Assets</th> </tr> </thead> <tbody> <tr> <td>Testing_Optimize_0708_part_2</td> <td><i>In Translation</i></td> <td>View Project</td> <td>BV-000143061</td> <td>4</td> <td>52</td> </tr> <tr> <th>Assets</th> <th>Source Language</th> <th>Target Language</th> <th>Status</th> <th>Actions</th> </tr> <tr> <td>Assets</td> <td>en</td> <td>fr-FR</td> <td>Imported</td> <td>Publish</td> </tr> <tr> <td>Assets</td> <td>en</td> <td>es-ES</td> <td>Imported</td> <td>Publish</td> </tr> <tr> <td>Assets</td> <td>en</td> <td>sv-SE</td> <td>Imported</td> <td>Publish</td> </tr> <tr> <td>Assets</td> <td>en</td> <td>fi-FI</td> <td><i>In Translation</i></td> <td>Publish</td> </tr> </tbody> </table>	Project Name	Status	Actions	Freeway ID	Languages	Total Assets	Testing_Optimize_0708_part_2	<i>In Translation</i>	View Project	BV-000143061	4	52	Assets	Source Language	Target Language	Status	Actions	Assets	en	fr-FR	Imported	Publish	Assets	en	es-ES	Imported	Publish	Assets	en	sv-SE	Imported	Publish	Assets	en	fi-FI	<i>In Translation</i>	Publish
Project Name	Status	Actions	Freeway ID	Languages	Total Assets																																	
Testing_Optimize_0708_part_2	<i>In Translation</i>	View Project	BV-000143061	4	52																																	
Assets	Source Language	Target Language	Status	Actions																																		
Assets	en	fr-FR	Imported	Publish																																		
Assets	en	es-ES	Imported	Publish																																		
Assets	en	sv-SE	Imported	Publish																																		
Assets	en	fi-FI	<i>In Translation</i>	Publish																																		

Column	Description
Actions	<p>Click the arrow to display the available context-menu options, and then click an option. The translation project's status determines which options are displayed:</p> <ul style="list-style-type: none"> ■ View Project: Opens the project for in read-only mode in a new browser tab. Not available if the project's status is <code>Draft</code>. For detailed descriptions of the fields in this view, see page 21. ■ Edit Project: Opens the project for editing. Displayed only when the project is in <code>Draft</code> status. For detailed instructions, see "Creating or Editing a Translation Project" on page 21. ■ Send to Translation: Sends out the project for translation. Displayed only when the project is in <code>Draft</code> status. For detailed instructions, see "Sending a Project for Translation from the Dashboard" on page 30. ■ Import All Available: Imports all available translated content into Episerver. For example, translated content may be available in some but not all target languages, if some content is still either in translation or has already been imported into Episerver. Displayed only when the project is in <code>Ready for Import</code> status, or if it is in <code>In Translation</code> status in italics, which indicates that some of the project content may already be ready to be imported into Episerver. See the note, above, about the status in italics. For detailed instructions, see "Importing All Available Translated Content from the Dashboard" on page 47. <p>Note: If translated content is available for import in multiple languages, but you do not want to import the content in all available languages, you can import the content for only some of those languages. For detailed instructions, see "Importing Translated Content in One Target Language from the Dashboard" on page 48.</p> <ul style="list-style-type: none"> ■ Publish All Available: Publishes all translated assets in the project that have been imported into Episerver. Displayed only when the project is in <code>Imported</code> status, or if it is in <code>In Translation</code> or <code>Ready for Imported</code> status in italics, which indicates that some of the project content may already be imported into Episerver. See the note, above, about the status in italics. For detailed instructions, see "Publishing All Available Translated Assets from the Dashboard" on page 54. <p>Note: If translated assets are available for publishing in multiple languages, but you do not want to publish the assets in all available languages, you can publish the assets for only some of those languages. For detailed instructions, see "Publishing Translated Assets in One Target Language from the Dashboard" on page 55.</p> <ul style="list-style-type: none"> ■ Cancel Project: Cancels the translation project. Displayed only when the project is in either <code>In Translation</code> or <code>Ready for Import</code> status. For detailed

Column	Description
	<p>instructions, see "Canceling a Translation Project in the Dashboard" on page 33.</p> <ul style="list-style-type: none"> ■ Remove Project: Removes the translation project from the Connector. Displayed only when the project is in either Draft, Imported, or Published status. For detailed instructions, see "Removing Translation Projects from the Connector via the Dashboard" on page 60. ■ Archive Project: Archives the translation project, which removes it from the list of active projects. Not available if the project's status is Draft. Available only in the default view, where only non-archived projects are displayed. For detailed instructions, see "Archiving and Unarchiving Projects" on page 56. ■ Unarchive Project Removes the translation project from the archived view, and displays it in the list of active projects, which is displayed by default. Available only in the archived view, where only archived projects are displayed. For detailed instructions, see "Archiving and Unarchiving Projects" on page 56.
Freeway ID	<p>If the project has already been sent for translation to Lionbridge Freeway, this is the identifier assigned by Lionbridge.</p> <ul style="list-style-type: none"> ▶ Click the link to open the project in Lionbridge Freeway. You may be prompted for your Freeway credentials before the Freeway page opens.
Languages	The number of target languages for this translation project.
Total Assets	The number of assets for translation in this translation project. If a translation project is translated into multiple languages, then the asset is "counted" once for each target language. For example, if a project has 4 assets and it is translated into 3 target languages, then there are 12 assets in the project.
Creator	The user ID of the account that created this project.
Created	The date that the user created this project, in DD / YY / MMMM format.
Due Date	The due date specified when the translation project was created or edited, in DD / YY / MMMM format. If the current date is after the due date, the warning icon  is displayed.

Column	Description
Delivery Available	Indicates whether translated assets are available to import into Episerver. This has one of the following values: <ul style="list-style-type: none"> ■ Yes: Files are ready to import into Episerver. In general, the corresponding translation project is in Ready for Import status. ■ No: Files are not available for import. Either the assets are still in translation, or they have already been imported into Episerver.

Additional Actions

In addition to the project-specific actions available from the **Actions** column, you can perform the following actions in the Dashboard:

- ▶ To update the list of displayed translation projects based on newly created projects or updated information about existing projects, click **Refresh**.
- ▶ To view only *archived* projects, click **View Archived Projects**. (By default, only unarchived projects are displayed.) Available only in the default view of the Dashboard, where non-archived projects are displayed. For detailed instructions, see "Archiving and Unarchiving Projects" on page 56.
- ▶ To view only *unarchived* projects, click **View Unarchived Projects**. Available only when archived projects are displayed. For detailed instructions, see "Archiving and Unarchiving Projects" on page 56.
- ▶ To filter the list of displayed translation projects, enter text in any of the text boxes above the column headers. The Connector automatically filters the projects to display only those with matching content in that column. For example, to display only translation projects with the Ready for Import status, start typing Ready for Import in the text box above the **Status** column header. The list automatically updates to display only projects with the Ready for Import status.

Project Name	Status	Actions	Freeway ID
RW_Freeway_check July16_4	Ready for Import	View Project	BV-000143270
Niteco-11-20190716-1	Ready for Import	View Project	BV-000143251
Testing_Inprogress	Ready for Import	View Project	BV-000143220
RW_HAT_Rane With Blanks Round_Trip3	Ready for Import	View Project	BV-000143270

4.4 Monitoring Translation Assets

You view detailed information about the assets in a translation project by clicking the Expand icon  next to that project in the Lionbridge Connector Dashboard ("Dashboard"). For a detailed description of the Dashboard, see "[Monitoring Translation Projects](#)" on page [37](#).

To view detailed information about the assets in a translation project:

- In the Dashboard, click the Expand icon  on the left side of the translation project whose assets you want to view. For instructions on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page [15](#).

The translation-project row expands, displaying the status of the translation of each target language in the project and any relevant actions.



Assets	Source Language	Target Language	Status	Actions
Assets	en	fr-FR	Imported	Publish
Assets	en	es-ES	Imported	Publish
Assets	en	sv-SE	Published	

In this example, the screen capture shows that the overall project status is **Imported**. However, this status is displayed in italics, which indicates that the translated content of some, but not all target languages is in this status: The status of the French and Spanish target languages is **Imported**, and the **Publish** action is available; The status of the Swedish target language is **Published**, which is the final status, so there is no available action.

The following information is displayed about each set of assets, organized by source and target language pair:

Column	Description
Assets	Click the Assets link or click the plus icon  to display the list of assets in the project, including name, type, location, and a link to open the asset. For more information, see " Viewing Translated Assets " on page 51
Source Language	The language code of the source language of the set of assets sent for translation.

Column	Description
Target Language	The language code of the target language into which the set of assets is translated.
Status	The status of this set of assets within the translation project. For a list and description of statuses, see " Translation Statuses " on page 34 .
Actions	<p>The status of this set of assets determines which options, if any, are displayed:</p> <ul style="list-style-type: none">■ Import: Imports all translated content in this target language into Episerver. Displayed only when this set of assets is in <code>Ready for Import</code> status. For detailed instructions, see "Importing Translated Content in One Target Language from the Dashboard" on page 48.■ Publish: Publishes all imported translated assets in this target language. Displayed only when this set of assets is in <code>Imported</code> status. For detailed instructions, see "Publishing Translated Assets in One Target Language from the Dashboard" on page 55.

5 Added Assets Log View

A new view has been added to the UI. You view the Asset Logs of any translation projects.

You can filter by **Asset Name**, **Asset Type**, **Project Name**, **Asset Status**, and **Date** range whether an asset **has logs** or **Log Details**.

The results display in a paging table or can be exported out to **.CSV** file.

You can click on the **Asset Name** to be taken to the Asset details displaying **DownloadedXML** file details along with **Imported** and **Published** dates.

Asset Log view can be accessed from the Connector Settings **cog**.

Asset Name	Type	Project Name	Asset Status	Created	Log Details
News.list	Block	VM14 Multi Language test	Imported	07/10/2020 15:08	07/10/2020 20:43: Imported success
Events.list	Block	VM14 Multi Language test	Imported	07/10/2020 15:08	07/10/2020 20:43: Imported success
Whitepaper	Page	VM14 Multi Language test	Imported	07/10/2020 15:08	07/10/2020 20:42: Imported success
Alloy.Track	Page	VM14 Multi Language test	Imported	07/10/2020 15:08	07/10/2020 20:42: Imported success
Customer testimonial wide teaser	Block	VM14 Credential check	Published	07/10/2020 07:17	07/10/2020 19:33: Published success
Alloy.Plan	Page	VM14 Credential check	Published	07/10/2020 07:17	07/10/2020 19:33: Published success
Event.list	Block	VM14 Credential check	Published	07/10/2020 07:17	07/10/2020 19:33: Published success
News.list	Block	VM14 Credential check	Published	07/10/2020 07:17	07/10/2020 19:33: Published success

6 Post-Translation Features

After the translation is complete, you can perform the following tasks:

Task	Description	Details
import translated content	When the translation project is complete and has been returned to the Connector, its project status is 100%. It is ready to import into Episerver, where you can review it. You can import all available translated content, or translated content only in specific target languages.	" Importing Translated Content " on page 45
reviewing translated assets	After you import translated content from the Connector into Episerver, the corresponding translated assets are ready for review.	" Reviewing Translated Assets " on page 49
publish translated assets	After you review translated assets, you can publish them via the Connector. You can publish all available imported assets, or imported assets only in specific target languages.	" Publishing Translated Assets " on page 53
archiving and unarchiving projects	You can archive projects to remove them from the default view of the Connector.	" Archiving and Unarchiving Projects " on page 56
removing projects from the Connector	You can remove a project from the Connector if it is in Draft, Imported, or Published status.	" Removing Translation Projects from the Connector " on page 58

6.1 Importing Translated Content

When the translation project is complete and has been returned to the Connector, the translated content is ready to import into Episerver, where you can review it.

You can import a project even if it has not been fully translated. However, to import and publish a page, all its dependent blocks must be translated.

The Connector automatically updates translation projects with redelivered assets. If an imported project has redelivered assets, its status is 100%/Ready for import.

There are three ways to import translated content into Episerver:


- "Importing All Available Translated Content from the Gadget" on page 46
- "Importing All Available Translated Content from the Dashboard" on page 47
- "Importing Translated Content in One Target Language from the Dashboard" on page 48

Recommendation: After importing translated content, you should review the corresponding translated assets before publishing them. For detailed instructions, see "Reviewing Translated Assets" on page 49.

6.1.1 Importing All Available Translated Content from the Gadget

When the translation project is complete and has been returned to the Connector, the translated content is ready to import into Episerver, where you can review it.


In the **Lionbridge Connector** gadget, the clock icon  is displayed and the project-completion status is variable, greater than 10% and up to 100%.



For more information about importing translated content into Episerver, see "Importing Translated Content" on page 45.

To import translated content into Episerver from the Lionbridge Connector gadget:

1. In Episerver CMS, click **Edit**.




2. Click the **Toggle assets pane** icon.



The **Assets** pane is displayed on the right. The **Lionbridge Connector** gadget is displayed at the bottom of the pane, displaying all the translation projects.

3. In the list, click a project whose status is 100% to select it.
4. Mouseover the right end of the project in the **Lionbridge Connector** gadget, click the Options icon and then select **Import translations** in the project's context menu.



A message box opens, stating that the project has been imported, but that it has not been published. The project is ready for review.

5. Click **OK** to close the message box.

6.1.2 Importing All Available Translated Content from the Dashboard

When the translation project is complete and has been returned to the Connector, the translated content is ready to import into Episerver, where you can review it.


For more information about importing translated content into Episerver, see "[Importing Translated Content](#)" on page [45](#).

In the **Lionbridge Connector Dashboard**, either:

- The displayed project status is Ready for import.
- The project status is displayed, in italics, in In Translation status, which indicates that some of the project content may already be ready to import into Episerver. For more information, see the note about status displayed in italics in "[Monitoring Translation Projects](#)" on page 37.

To import all available translated content into Episerver from the Dashboard:

1. In the Dashboard, locate a translation project with either Ready for import status or In Translation status, displayed in italics. This is displayed in the **Status** column. For information on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page 15.
2. In the **Actions** column, click the arrow and select **Import All Available** from the context menu.



A message box opens, confirming that the project is being imported into Episerver, and that the project status will update when the import is complete.

3. Click **OK** to close the message box.

6.1.3 Importing Translated Content in One Target Language from the Dashboard

When the translation project is complete and has been returned to the Connector, the translated content is ready to import into Episerver, where you can review it.

In the **Lionbridge Connector Dashboard**, either:

- The displayed project status is Ready for import.
- The project status is displayed, in italics, in In Translation status, which indicates that some of the project content may already be ready to import into Episerver. For more information, see the note about status displayed in italics in "[Monitoring Translation Projects](#)" on page 37.

For more information about importing translated content into Episerver, see "[Importing Translated Content](#)" on page 45.

To import translated content into Episerver from the Dashboard:

1. In the Dashboard, locate the translation project whose content you want to import. For information on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page [15](#).
2. Click the Expand icon  on the left side of the translation project whose assets you want to import.

The translation-project row expands, displaying the status of the translation of each target language in the project and any relevant actions. For a detailed description of this section, see "[Monitoring Translation Assets](#)" on page [42](#).



Assets	Source Languages	Target Languages	Status	Actions
Assets	en	de-DE	Ready for Import	
Assets	en	fr-FR	Ready for Import	

3. Click **Import** for target-language assets to import.

A message box opens, confirming that you want to import the assets in this target language.

4. Click **Yes** to proceed.

Another message box opens, stating that the assets were imported.

5. Click **OK** to close the message box.

6.2 Reviewing Translated Assets


After importing translated content into Episerver, as described in "[Importing Translated Content](#)" on page [45](#), it is ready for review. This is the recommended step before publishing.

Note: You can also review an individual translated asset by clicking its link from the Dashboard. For detailed instructions, see "[Viewing Translated Assets](#)" on page [51](#).

To review translated assets:


1. In the top-left corner of the **system workspace**, click the **Toggle navigation pane** icon .
2. The Navigation pane is displayed on the left.
2. In the Navigation pane, click the **Sites** tab, and click the language version of the site to review.
Alternatively, install the Versions Add-On to display the different language versions you have created.

3. Click the **Pages** tab, and in the tree structure, navigate to each page to review.
4. Optional. Click the **Compare different versions** icon  to compare the source and target language versions of a page side by side and review before publishing or performing further edits.



5. Optional. Click in a page to edit it.

Note: Blocks are displayed as translated within a page only after the page is published. To view the translated *draft* version of blocks for review purposes, in the **Assets** pane on the right, select the blocks, as shown below.



6. When you are done, do one of the following to publish the translated page:

- You can click **Publish?** in the top-right corner and select **Publish changes** from the context menu.
- You can publish translated assets from within the Connector. For detailed instructions, see "[Publishing Translated Assets](#)" on page 53.

6.2.1 Viewing Translated Assets

You view detailed information about individual translated assets in a translation project by clicking the Expand icon next to that project in the Lionbridge Connector Dashboard ("Dashboard"), and then clicking the Expand icon next to an asset set for a source-target language pair. For a detailed description of the entire Dashboard, see "[Monitoring Translation Projects](#)" on page 37.

To view a translated asset:

1. In the Dashboard, click the Expand icon on the left side of the translation project whose assets you want to view. For instructions on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page 15.

The translation-project row expands, displaying the status of the translation of each target language in the project and any relevant actions. For a detailed description of this section, see "Monitoring Translation Assets" on page 42.

Assets		Source Languages	Target Languages	Status	Actions
	Assets	en	fr-FR	Imported	<button>Publish</button>
	Assets	en	es-ES	Imported	<button>Publish</button>
	Assets	en	sv-SE	Published	

- Click the Expand icon on the left side of the asset set whose assets you want to view.

Assets		Source Languages	Target Languages	Status	Actions
	Assets	en	fr-FR	Imported	<button>Publish</button>
	Assets	en	es-ES	Imported	<button>Publish</button>
Type	Name	Location	Link		
Page	Alloy Plan	/Start	https://lionbridgeepi11.niteco.se/EPIServer/CMS//?language=fr-FR&id=1		
Page	Alloy Track	/Start	https://lionbridgeepi11.niteco.se/EPIServer/CMS//?language=es-ES&id=1		
Page	Alloy Meet	/Start	https://lionbridgeepi11.niteco.se/EPIServer/CMS//?language=sv-SE&id=1		
Page	About us	/Start	https://lionbridgeepi11.niteco.se/EPIServer/CMS//?language=en-US&id=1		

The **Assets** row expands, displayed the following information about each asset in the asset set:

Column	Description
Type	The type of asset, which is either Page or Block.
Name	The name of the asset in Episerver.
Location	The relative path of the translated asset in Episerver.
Link	The absolute path of the translated asset in Episerver.

- In the **Link** column, click the link to open the translated asset in within Episerver, where you can review and edit it, and publish it if it has not yet been published.

6.3 Publishing Translated Assets

After you import translated content, you can publish the corresponding assets from the Connector. Alternatively, you can publish assets individually from the regular Episerver publishing method, as described in the last step of "Reviewing Translated Assets" on page 49.

Publishing translated assets from the Connector is available only when the project is in `Imported` status, or if it is displayed, in italics, in either `In Translation` or `Ready for Import` status, which indicates that some of the project content may already be imported into Episerver. For more information, see the note about status displayed in italics in "Monitoring Translation Projects" on page 37.

To import and publish a page, all its dependent blocks must be translated.

The Connector automatically updates translation projects with redelivered assets. If a published project has redelivered assets, its status is 100%.

For instructions on importing and reviewing content before publishing it, see "Importing Translated Content" on page 45.

There are three ways to publish translated assets:

- "Publishing All Available Translated Assets from the Gadget" on page 53
- "Publishing All Available Translated Assets from the Dashboard" on page 54
- "Publishing Translated Assets in One Target Language from the Dashboard" on page 55

6.3.1 Publishing All Available Translated Assets from the Gadget


After you import translated content, you can publish the corresponding translated assets.

This feature is available only when the project is in `Imported` status, or if it is displayed, in italics, in either `In Translation` or `Ready for Import` status, which indicates that some of the project content may already be imported into Episerver. For more information, see the note about status displayed in italics in "Monitoring Translation Projects" on page 37.


For more information about publishing translated assets, see page 53.

To publish translated assets from the Lionbridge Connector gadget:

1. In Episerver CMS, click **Edit**.




2. Click the **Toggle assets pane** icon.



The **Assets** pane is displayed on the right. The **Lionbridge Connector** gadget is displayed at the bottom of the pane, displaying all the translation projects.

3. Click a project in the list to select it.
4. Mouseover the right end of the project in the **Lionbridge Connector** gadget, click the Options icon  and then select **Publish translations** in the project's context menu. This menu item is available only when the project is in **Imported** status.



A message box opens, confirming that the pages are being published.

5. Click **OK** to close the message box.

6.3.2 Publishing All Available Translated Assets from the Dashboard

After you import translated content, you can publish the corresponding translated assets.

This feature is available only when the project is in **Imported** status, or if it is displayed, in italics, in either **In Translation** or **Ready for Import** status, which indicates that some of the project content may already be imported into Episerver. For more information, see the note about status displayed in italics in "[Monitoring Translation Projects](#)" on page [37](#).

For more information about publishing translated assets, see page [53](#).

To publish all available translated assets from the Dashboard:

1. In the Dashboard, locate a translation project with **Imported** status. This is displayed in the **Status** column. For information on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page [15](#).
2. In the **Actions** column, click the arrow and select **Publish All Available** from the context menu.



A message box opens, confirming that you want to publish all available assets in the project.

3. Click **Yes** to proceed.

Another message box opens, stating that the project was published.

4. Click **OK** to close the message box.

6.3.3 Publishing Translated Assets in One Target Language from the Dashboard

After you import translated content, you can publish the corresponding translated assets.

In the **Lionbridge Connector Dashboard**, either:

- The displayed project status is **Imported**.
- The project status is displayed, in italics, in either **In Translation** or **Ready for Import** status, which indicates that some of the project content may already imported into Episerver. For more information, see the note about status displayed in italics in "[Monitoring Translation Projects](#)" on page [37](#).

For more information about publishing translated assets, see page [53](#).

To publish translated assets from the Dashboard:

1. In the Dashboard, locate the translation project whose translated assets you want to publish. For information on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page [15](#).
2. Click the Expand icon  on the left side of the translation project whose assets you want to publish.

The translation-project row expands, displaying the status of the translation of each target language in the project and any relevant actions. For a detailed description of this section, see "Monitoring Translation Assets" on page 42.

Assets	Source Languages	Target Languages	Status	Actions
Assets	en	fr-FR	Imported	Publish
Assets	en	es-ES	Imported	Publish
Assets	en	sv-SE	Published	

- Click **Publish** for target-language assets to publish.

A message box opens, confirming that you want to publish the assets in this target language.

- Click **Yes** to proceed.

Another message box opens, stating that the assets were published.

- Click **OK** to close the message box.

6.4 Archiving and Unarchiving Projects


You archive a project so that it is no longer displayed by default in the **Lionbridge Connector Dashboard** ("Dashboard"). Typically, you archive a project when all its assets have been published and it is in **Published** status. However, you can archive any project that is *not* in **Draft** status. In contrast, when you *unarchive* a project, you move it to the default view of the Dashboard.

Recommendation: Archive completed projects to remove them from the default view.

To archive a project:

- In the Dashboard, locate the project to archive.

2. In the **Actions** column, click the arrow for the project, and then click **Archive Project**.



A message box confirms that you want to archive the project.


3. Click **Yes** to proceed.

A message box confirms that the project is being archived.

4. Click **OK** to close the dialog box.


To unarchive a project:

1. In the top-left corner of the Dashboard, click the **View Archived Projects** button. This ensures that only archived projects are displayed.



The Dashboard updates.

2. In the **Actions** column, click the arrow for the project to unarchive, and then click **Unarchive Project**.



A message box confirms that you want to unarchive the project.

3. Click **Yes** to proceed.

A message box confirms that the project is being unarchived.

4. Click **OK** to close the dialog box.

6.5 Removing Translation Projects from the Connector

You can remove a translation project from the Connector. This functionality is not reversible.

This feature is available only when the project is in either Draft, Imported, or Published status.

For a list and description of translation statuses, see "["Translation Statuses"](#) on page 34.

Notes: If you remove a project in Draft status, you will not be able to send it out for translation. This feature is not available in any other statuses, which occur when the project is actively in translation. To stop a translation project that is already in progress, you cancel the translation project in the Connector. For detailed instructions, see "["Canceling a Translation Project"](#) on page 31.

There are two ways to remove a translation project from the Connector:

- "["Removing Translation Projects from the Connector via the Gadget"](#) on page 58
- "["Removing Translation Projects from the Connector via the Dashboard"](#) on page 60

6.5.1 Removing Translation Projects from the Connector via the Gadget


You can remove a translation project from the Connector. This functionality is not reversible.

This feature is available only when the project is in either Draft, Imported, or Published status.

For more information about removing translation projects from the Connector, see [page 58](#).

To remove a translation project from the Connector in the Lionbridge Connector gadget:

1. In Episerver CMS, click **Edit**.




2. Click the **Toggle assets pane** icon.



The **Assets** pane is displayed on the right. The **Lionbridge Connector** gadget is displayed at the bottom of the pane, displaying all the translation projects.

3. Click a project in the list to select it.
4. Mouseover the right end of the project in the **Lionbridge Connector** gadget, click the Options icon and then select **Remove Project** in the project's context menu. This menu item is available only when the project is in either Draft, Imported, or Published status.



A message box opens, confirming that you want to remove the project.

5. Click **Yes** to confirm.

The project is removed from the list.

6.5.2 Removing Translation Projects from the Connector via the Dashboard


You can remove a translation project from the Connector. This functionality is not reversible.

This feature is available only when the project is in either Draft, Imported, or Published status.

For more information about removing translation projects from the Connector, see page [58](#).

To remove a translation project from the Connector in the Dashboard:

1. In the Dashboard, locate a translation project with either Draft, Imported, or Published status. This is displayed in the **Status** column. For information on opening the Dashboard, see "[Getting Started with the Connector for Episerver](#)" on page [15](#).
2. In the **Actions** column, click the arrow and select **Remove Project** from the context menu.



A message box opens, confirming that you want to remove the project.

3. Click **Yes** to confirm.

The project is removed from the list.

Another message box opens, stating that the project was removed.

4. Click **OK** to close the message box.

Index

A

Added Assets Log view 44
assets, sending for translation 20

B

blocks, sending for translation 20, 44

D

Dashboard
canceling translation project 33
importing all available translated content 47
importing one target language of translated
content 48
overview 18
publishing all available translated assets 54
publishing one target language of translated
assets 55
removing translation projects from the
Connector 60
sending project for translation 30
translation statuses 37
documentation conventions 8

G

Gadget
canceling translation project 31
importing all available translated content 46
overview 17
publishing all available translated assets 53
removing translation projects from the
Connector 58
sending project for translation 29
translation statuses 35
getting started 15
guide 6

I

introduction 5
italics, statuses displayed in 38

L

Lionbridge Connector for Episerver Installation
and Configuration Guide 7
Lionbridge Connector Support 8
getting a Zendesk password 12
information to include in a ticket 9
signing up for a Zendesk account 10
submit a ticket 8
viewing and updating your ticket 9

O

overview 17

P

pages, sending for translation 20, 44
post-translation features, overview 45

S

statuses
displayed in *italics* 38
translation 34
support 8
getting a Zendesk password 12
information to include in a ticket 9
signing up for a Zendesk account 10
submit a ticket 8
viewing and updating your ticket 9

T

translated assets
 publishing 53
 publishing all available from the
 Dashboard 54
 publishing all available from the Gadget 53
 publishing one target language from the
 Dashboard 55
 reviewing 49
 viewing one 51
translated content
 importing 45
 importing all available from Dashboard 47
 importing all available from Gadget 46
 importing one target language from
 Dashboard 48
translation lifecycle 5
 and the Connector 5
translation project
 canceling 31
 from Dashboard 33
 from Gadget 31
 creating 21
 editing 21
 sending for translation 29
 from Dashboard 30
 from Gadget 29
translation projects
 archiving 56
 removing from the Connector 58
 removing from the Connector via the
 Dashboard 60
 removing from the Connector via the
 Gadget 58
 unarchiving 56
translation status, monitoring
 assets 42
 detailed 37
 overview 34
 summary 35
translation statuses 34